

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 1 of 3)							
1125	Bridgeport silt loam, occasionally flooded	201	286	238	77	77	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	39	95	48	64	64	2111
2113	Inavale loamy sand, occasionally flooded	67	132	85	64	64	2113
2200	Munjor and Inavale soils, frequently flooded	54	54	54	77	77	2200
2236	Roxbury silt loam, occasionally flooded	182	182	182	77	77	2236
2260	Saltine silty clay loam, frequently flooded	40	40	40	64	64	2260
2266	Tobin silt loam, occasionally flooded	233	277	233	77	77	2266
2347	McCook silt loam, rarely flooded	198	301	253	77	77	2347
2365	New Cambria silty clay loam, rarely flooded	193	301	253	64	64	2365
2366	New Cambria silty clay, rarely flooded	193	301	253	64	64	2366
2375	Roxbury silt loam, rarely flooded	202	316	269	77	77	2375
2519	Armo loam, 3 to 7 percent slopes	156	235	187	52	52	2519
2521	Armo loam, 7 to 15 percent slopes	156	235	187	52	52	2521
2522	Armo silt loam, 3 to 7 percent slopes	156	235	187	52	52	2522
2613	Harney silt loam, 1 to 3 percent slopes	245	311	263	64	64	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	201	201	201	64	64	2624
2718	Nibson soils, 3 to 30 percent slopes	10	10	10	52	52	2718
2720	Nibson silt loam, 5 to 25 percent slopes	10	10	10	52	52	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	192	192	192	64	64	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	166	166	166	64	64	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	48	87	48	52	52	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	48	87	49	52	52	2956
3030	Cozad-Cass soils, occasionally flooded	171	212	171	77	77	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	67	67	67	58	58	3364
3380	Hedville stony loam, 5 to 30 percent slopes	10	10	10	40	40	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	10	10	10	40	40	3382
3391	Lancaster loam, 3 to 7 percent slopes	67	67	67	58	58	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	156	235	187	52	52	3395

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 2 of 3)							
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	67	67	67	58	58	3396
3401	Longford silt loam, 1 to 3 percent slopes	247	303	255	64	64	3401
3402	Longford silt loam, 3 to 7 percent slopes	228	259	228	64	64	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	184	196	184	64	64	3404
3521	Cass fine sandy loam, occasionally flooded	171	212	171	77	77	3521
3545	Hobbs silt loam, channeled	182	182	182	77	77	3545
3553	Hobbs silt loam, frequently flooded	182	182	182	77	77	3553
3561	Hobbs silt loam, occasionally flooded	237	278	237	77	77	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	162	162	162	77	77	3569
3593	Humbarger loam, occasionally flooded	191	262	214	77	77	3593
3710	Cass fine sandy loam, rarely flooded	228	299	251	77	77	3710
3725	Detroit silty clay loam, rarely flooded	249	328	280	77	77	3725
3755	Hord silt loam, rarely flooded	276	359	312	77	77	3755
3775	Muir silt loam, rarely flooded	279	364	317	77	77	3775
3780	Sutphen silty clay, rarely flooded	186	266	219	77	77	3780
3824	Crete silt loam, 0 to 1 percent slopes	212	304	256	64	64	3824
3825	Crete silt loam, 1 to 3 percent slopes	207	275	228	64	64	3825
3826	Crete silt loam, 3 to 7 percent slopes	190	246	198	64	64	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	207	275	228	64	64	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	190	246	198	64	64	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	173	192	173	64	64	3831
3843	Geary silt loam, 1 to 3 percent slopes	228	259	228	64	64	3843
3844	Geary silt loam, 3 to 7 percent slopes	228	259	228	64	64	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	189	189	189	64	64	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	201	286	238	77	77	3851
3866	Hastings silt loam, 1 to 3 percent slopes	245	311	263	64	64	3866
3868	Hastings silt loam, 3 to 7 percent slopes	241	263	241	64	64	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	201	201	201	64	64	3870

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
CLOUD COUNTY (Page 3 of 3)							
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	162	162	162	77	77	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	166	166	166	64	64	3888
4715	Kipson soils, 5 to 30 percent slopes	10	10	10	52	52	4715
7030	Eudora loam, occasionally flooded	198	301	253	77	77	7030
7122	Eudora loam, rarely flooded	267	373	326	77	77	7122
7123	Eudora silt loam, rarely flooded	267	373	326	77	77	7123
7180	Sarpy loamy fine sand, rarely flooded	54	54	54	77	77	7180
7744	Haynie-Sarpy complex, occasionally flooded	54	54	54	77	77	7744
9976	Borrow pits	10	10	10	10	10	9976
9983	Gravel pits and quarries	10	10	10	10	10	9983
9986	Miscellaneous water	10	10	10	10	10	9986
9995	Sand Pits	10	10	10	10	10	9995
9999	Water	10	10	10	10	10	9999
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 1 of 2)			
1125	Bridgeport silt loam, occasionally flooded	201	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	39	2111
2113	Inavale loamy sand, occasionally flooded	67	2113
2200	Munjour and Inavale soils, frequently flooded	54	2200
2236	Roxbury silt loam, occasionally flooded	182	2236
2260	Saltine silty clay loam, frequently flooded	40	2260
2266	Tobin silt loam, occasionally flooded	233	2266
2347	McCook silt loam, rarely flooded	198	2347
2365	New Cambria silty clay loam, rarely flooded	193	2365
2366	New Cambria silty clay, rarely flooded	193	2366
2375	Roxbury silt loam, rarely flooded	202	2375
2519	Armo loam, 3 to 7 percent slopes	156	2519
2521	Armo loam, 7 to 15 percent slopes	156	2521
2522	Armo silt loam, 3 to 7 percent slopes	156	2522
2613	Harney silt loam, 1 to 3 percent slopes	245	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	201	2624
2718	Nibson soils, 3 to 30 percent slopes	10	2718
2720	Nibson silt loam, 5 to 25 percent slopes	10	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	192	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	166	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	48	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	48	2956
3030	Cozad-Cass soils, occasionally flooded	171	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	67	3364
3380	Hedville stony loam, 5 to 30 percent slopes	10	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	10	3382
3391	Lancaster loam, 3 to 7 percent slopes	67	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	156	3395
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	67	3396
3401	Longford silt loam, 1 to 3 percent slopes	247	3401
3402	Longford silt loam, 3 to 7 percent slopes	228	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	184	3404
3521	Cass fine sandy loam, occasionally flooded	171	3521
3545	Hobbs silt loam, channeled	182	3545
3553	Hobbs silt loam, frequently flooded	182	3553
3561	Hobbs silt loam, occasionally flooded	237	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	162	3569
3593	Humbarger loam, occasionally flooded	191	3593
3710	Cass fine sandy loam, rarely flooded	228	3710
3725	Detroit silty clay loam, rarely flooded	249	3725
3755	Hord silt loam, rarely flooded	276	3755
3775	Muir silt loam, rarely flooded	279	3775
3780	Sutphen silty clay, rarely flooded	186	3780
3824	Crete silt loam, 0 to 1 percent slopes	212	3824
3825	Crete silt loam, 1 to 3 percent slopes	207	3825
3826	Crete silt loam, 3 to 7 percent slopes	190	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	207	3828

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 2 of 2)			
3830	Crete silty clay loam, 3 to 7 percent slopes	190	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	173	3831
3843	Geary silt loam, 1 to 3 percent slopes	228	3843
3844	Geary silt loam, 3 to 7 percent slopes	228	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	189	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	201	3851
3866	Hastings silt loam, 1 to 3 percent slopes	245	3866
3868	Hastings silt loam, 3 to 7 percent slopes	241	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	201	3870
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	162	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	166	3888
4715	Kipson soils, 5 to 30 percent slopes	10	4715
7030	Eudora loam, occasionally flooded	198	7030
7122	Eudora loam, rarely flooded	267	7122
7123	Eudora silt loam, rarely flooded	267	7123
7180	Sarpy loamy fine sand, rarely flooded	54	7180
7744	Haynie-Sarpy complex, occasionally flooded	54	7744
9976	Borrow pits	10	9976
9983	Gravel pits and quarries	10	9983
9986	Miscellaneous water	10	9986
9995	Sand Pits	10	9995
9999	Water	10	9999
WST	WASTE	10	WST