

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 1 of 3)							
1125	Bridgeport silt loam, occasionally flooded	179	275	225	71	71	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	34	150	99	58	58	2111
2113	Inavale loamy sand, occasionally flooded	53	162	111	58	58	2113
2200	Munjor and Inavale soils, frequently flooded	37	53	37	71	71	2200
2236	Roxbury silt loam, occasionally flooded	166	166	166	71	71	2236
2260	Saltine silty clay loam, frequently flooded	21	21	21	58	58	2260
2266	Tobin silt loam, occasionally flooded	215	259	215	71	71	2266
2347	McCook silt loam, rarely flooded	178	294	243	71	71	2347
2365	New Cambria silty clay loam, rarely flooded	168	294	243	58	58	2365
2366	New Cambria silty clay, rarely flooded	166	296	245	58	58	2366
2375	Roxbury silt loam, rarely flooded	180	304	254	71	71	2375
2519	Armo loam, 3 to 7 percent slopes	140	242	192	46	46	2519
2521	Armo loam, 7 to 15 percent slopes	139	232	181	46	46	2521
2522	Armo silt loam, 3 to 7 percent slopes	138	241	191	46	46	2522
2613	Harney silt loam, 1 to 3 percent slopes	228	306	255	58	58	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	190	205	190	58	58	2624
2718	Nibson soils, 3 to 30 percent slopes	10	10	10	46	46	2718
2720	Nibson silt loam, 5 to 25 percent slopes	10	10	10	46	46	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	186	201	186	58	58	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	165	170	165	58	58	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	27	111	60	46	46	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	29	107	57	46	46	2956
3030	Cozad-Cass soils, occasionally flooded	154	210	160	71	71	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	56	56	56	52	52	3364
3380	Hedville stony loam, 5 to 30 percent slopes	10	10	10	33	33	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	10	10	10	33	33	3382
3391	Lancaster loam, 3 to 7 percent slopes	68	68	68	52	52	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	141	243	193	46	46	3395

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 2 of 3)							
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	61	61	61	52	52	3396
3401	Longford silt loam, 1 to 3 percent slopes	235	300	250	58	58	3401
3402	Longford silt loam, 3 to 7 percent slopes	217	260	217	58	58	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	176	207	176	58	58	3404
3521	Cass fine sandy loam, occasionally flooded	160	214	164	71	71	3521
3545	Hobbs silt loam, channeled	166	166	166	71	71	3545
3553	Hobbs silt loam, frequently flooded	166	166	166	71	71	3553
3561	Hobbs silt loam, occasionally flooded	220	263	220	71	71	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	157	157	157	71	71	3569
3593	Humbarger loam, occasionally flooded	169	249	198	71	71	3593
3710	Cass fine sandy loam, rarely flooded	214	292	242	71	71	3710
3725	Detroit silty clay loam, rarely flooded	229	312	261	71	71	3725
3755	Hord silt loam, rarely flooded	255	333	282	71	71	3755
3775	Muir silt loam, rarely flooded	259	335	284	71	71	3775
3780	Sutphen silty clay, rarely flooded	171	273	223	71	71	3780
3824	Crete silt loam, 0 to 1 percent slopes	198	304	253	58	58	3824
3825	Crete silt loam, 1 to 3 percent slopes	196	282	231	58	58	3825
3826	Crete silt loam, 3 to 7 percent slopes	180	257	206	58	58	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	196	281	230	58	58	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	181	255	204	58	58	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	167	212	167	58	58	3831
3843	Geary silt loam, 1 to 3 percent slopes	219	265	219	58	58	3843
3844	Geary silt loam, 3 to 7 percent slopes	217	260	217	58	58	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	184	184	184	58	58	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	180	256	205	71	71	3851
3866	Hastings silt loam, 1 to 3 percent slopes	231	306	255	58	58	3866
3868	Hastings silt loam, 3 to 7 percent slopes	230	263	230	58	58	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	198	205	198	58	58	3870

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 3 of 3)							
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	157	157	157	71	71	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	163	165	163	58	58	3888
4715	Kipson soils, 5 to 30 percent slopes	10	10	10	46	46	4715
7030	Eudora loam, occasionally flooded	183	291	241	71	71	7030
7122	Eudora loam, rarely flooded	245	340	290	71	71	7122
7123	Eudora silt loam, rarely flooded	249	340	290	71	71	7123
7180	Sarpy loamy fine sand, rarely flooded	38	79	38	71	71	7180
7744	Haynie-Sarpy complex, occasionally flooded	42	73	42	71	71	7744
9976	Borrow pits	10	10	10	10	10	9976
9983	Gravel pits and quarries	10	10	10	10	10	9983
9986	Miscellaneous water	10	10	10	10	10	9986
9995	Sand Pits	10	10	10	10	10	9995
9999	Water	10	10	10	10	10	9999
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 1 of 2)			
1125	Bridgeport silt loam, occasionally flooded	179	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	34	2111
2113	Inavale loamy sand, occasionally flooded	53	2113
2200	Munjour and Inavale soils, frequently flooded	37	2200
2236	Roxbury silt loam, occasionally flooded	166	2236
2260	Saltine silty clay loam, frequently flooded	21	2260
2266	Tobin silt loam, occasionally flooded	215	2266
2347	McCook silt loam, rarely flooded	178	2347
2365	New Cambria silty clay loam, rarely flooded	177	2365
2366	New Cambria silty clay, rarely flooded	180	2366
2375	Roxbury silt loam, rarely flooded	188	2375
2519	Armo loam, 3 to 7 percent slopes	140	2519
2521	Armo loam, 7 to 15 percent slopes	139	2521
2522	Armo silt loam, 3 to 7 percent slopes	138	2522
2613	Harney silt loam, 1 to 3 percent slopes	228	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	190	2624
2718	Nibson soils, 3 to 30 percent slopes	10	2718
2720	Nibson silt loam, 5 to 25 percent slopes	10	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	186	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	165	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	27	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	29	2956
3030	Cozad-Cass soils, occasionally flooded	154	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	56	3364
3380	Hedville stony loam, 5 to 30 percent slopes	10	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	10	3382
3391	Lancaster loam, 3 to 7 percent slopes	68	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	141	3395
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	61	3396
3401	Longford silt loam, 1 to 3 percent slopes	235	3401
3402	Longford silt loam, 3 to 7 percent slopes	217	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	176	3404
3521	Cass fine sandy loam, occasionally flooded	160	3521
3545	Hobbs silt loam, channeled	166	3545
3553	Hobbs silt loam, frequently flooded	166	3553
3561	Hobbs silt loam, occasionally flooded	220	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	157	3569
3593	Humbarger loam, occasionally flooded	169	3593
3710	Cass fine sandy loam, rarely flooded	214	3710
3725	Detroit silty clay loam, rarely flooded	229	3725
3755	Hord silt loam, rarely flooded	255	3755
3775	Muir silt loam, rarely flooded	259	3775
3780	Sutphen silty clay, rarely flooded	171	3780
3824	Crete silt loam, 0 to 1 percent slopes	198	3824
3825	Crete silt loam, 1 to 3 percent slopes	196	3825
3826	Crete silt loam, 3 to 7 percent slopes	180	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	196	3828

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 2 of 2)			
3830	Crete silty clay loam, 3 to 7 percent slopes	181	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	167	3831
3843	Geary silt loam, 1 to 3 percent slopes	219	3843
3844	Geary silt loam, 3 to 7 percent slopes	217	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	184	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	180	3851
3866	Hastings silt loam, 1 to 3 percent slopes	231	3866
3868	Hastings silt loam, 3 to 7 percent slopes	230	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	198	3870
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	157	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	163	3888
4715	Kipson soils, 5 to 30 percent slopes	10	4715
7030	Eudora loam, occasionally flooded	183	7030
7122	Eudora loam, rarely flooded	245	7122
7123	Eudora silt loam, rarely flooded	249	7123
7180	Sarpy loamy fine sand, rarely flooded	38	7180
7744	Haynie-Sarpy complex, occasionally flooded	42	7744
9976	Borrow pits	10	9976
9983	Gravel pits and quarries	10	9983
9986	Miscellaneous water	10	9986
9995	Sand Pits	10	9995
9999	Water	10	9999
WST	WASTE	10	WST